



FORETS
A POINTER NC
CARBURE MONOBLOC

Sélection



FOC
509
590

FORETS A POINTER NC CARBURE MONOBLOC 90° 2 LEVRES

Courts ou longs



Solid carbide *short or long* NC spotting drills 90° - Uncoated



Brocas de puntear *cortas o largas* MD integral 90° - Sin recubrimiento



Punte a centrare NC *corti o lunghi* MD integrale 90° - Non rivestiti



VHM *kurze oder lange* Anbohrer 90° - Unbeschichtet




SOLID
WC

Ø	d	L	l	Z
2	2	40	8	2
3	3	45	10	2
4	4	50	12	2
5	5	50	15	2
6	6	60	18	2
7	7	60	23	2
8	8	60	23	2
10	10	70	24	2
12	12	70	24	2
14	14	75	24	2
16	16	80	26	2
20	20	100	35	2

Ex. ref. Ø2 = FOC509-002.000

Ø	d	L	l	Z
2	2	80	8	2
3	3	100	10	2
4	4	100	12	2
5	5	100	15	2
6	6	100	18	2
7	7	120	23	2
8	8	120	23	2
10	10	150	24	2
12	12	150	24	2
14	14	160	24	2
16	16	160	26	2
20	20	170	35	2

Ex. ref. Ø2 = FOC590-002.000



FOC
510
591

FORETS A POINTER NC CARBURE MONOBLOC 100° 2 LEVRES

Courts ou longs



Solid carbide *short or long* NC spotting drills 100° - Uncoated



Brocas de puntear *cortas o largas* MD integral 100° - Sin recubrimiento



Punte a centrare NC *corti o lunghi* MD integrale 100° - Non rivestiti



VHM *kurze oder lange* Anbohrer 100° - Unbeschichtet



EUROMAC



MADE IN
FRANCE


SOLID
WC

Ø	d	L	l	Z
2	2	40	8	2
3	3	45	10	2
4	4	50	12	2
5	5	50	15	2
6	6	60	18	2
7	7	60	23	2
8	8	60	23	2
10	10	70	24	2
12	12	70	24	2
14	14	75	24	2
16	16	80	26	2
20	20	100	35	2

Ex. ref. Ø2 = FOC510-002.000

Ø	d	L	l	Z
2	2	80	8	2
3	3	100	10	2
4	4	100	12	2
5	5	100	15	2
6	6	100	18	2
7	7	120	23	2
8	8	120	23	2
10	10	150	24	2
12	12	150	24	2
14	14	160	24	2
16	16	160	26	2
20	20	170	35	2

Ex. ref. Ø2 = FOC591-002.000



FOC
512
592

FORETS A POINTER NC CARBURE MONOBLOC 120° 2 LEVRES

Courts ou longs



Solid carbide *short or long* NC spotting drills 120° - Uncoated



Brocas de puntear *cortas o largas* MD integral 120° - Sin recubrimiento



Punte a centrare NC *corti o lunghi* MD integrale 120° - Non rivestiti



VHM *kurze oder lange* Anbohrer 120° - Unbeschichtet




SOLID
WC

Ø	d	L	l	Z
2	2	40	8	2
3	3	45	10	2
4	4	50	12	2
5	5	50	15	2
6	6	60	18	2
7	7	60	23	2
8	8	60	23	2
10	10	70	24	2
12	12	70	24	2
14	14	75	24	2
16	16	80	26	2
20	20	100	35	2

Ex. ref. Ø2 = FOC512-002.000

Ø	d	L	l	Z
2	2	80	8	2
3	3	100	10	2
4	4	100	12	2
5	5	100	15	2
6	6	100	18	2
7	7	120	23	2
8	8	120	23	2
10	10	150	24	2
12	12	150	24	2
14	14	160	24	2
16	16	160	26	2
20	20	170	35	2

Ex. ref. Ø2 = FOC592-002.000



FOC
514
594

FORETS A POINTER NC CARBURE MONOBLOC 140° 2 LEVRES

Courts ou longs



Solid carbide *short or long* NC spotting drills 140° - Uncoated



Brocas de puntear *cortas o largas* MD integral 140° - Sin recubrimiento



Punte a centrare NC *corti o lunghi* MD integrale 140° - Non rivestiti



VHM *kurze oder lange* Anbohrer 140° - Unbeschichtet



EUROMAC



MADE IN
FRANCE

SOLID
WC

Ø	d	L	l	Z
2	2	40	8	2
3	3	45	10	2
4	4	50	12	2
5	5	50	15	2
6	6	60	18	2
7	7	60	23	2
8	8	60	23	2
10	10	70	24	2
12	12	70	24	2
14	14	75	24	2
16	16	80	26	2
20	20	100	35	2

Ex. ref. Ø2 = FOC514-002.000

Ø	d	L	l	Z
2	2	80	8	2
3	3	100	10	2
4	4	100	12	2
5	5	100	15	2
6	6	100	18	2
7	7	120	23	2
8	8	120	23	2
10	10	150	24	2
12	12	150	24	2
14	14	160	24	2
16	16	160	26	2
20	20	170	35	2

Ex. ref. Ø2 = FOC594-002.000

