



SPEED TOOLS

ALESOIRS
PLAQUETTES
CARBURE BRASEES

Sélection





ALESOIRS MACHINE PLAQUETTES CARBURE BRASEES DIN 8050

Taille droite (forme A)
Queue cylindrique



Carbide-tipped machine reamers DIN 8050 - Straight flutes - H7



Escariadores de máquina con insertos MD soldados DIN 8050 - Labios rectos - H7



Alesatori a macchina con inserti MD brasati DIN 8050 - Taglienti diritti - H7




Maschinenreibahlen mit HM-platten DIN 8050 - Geradegenutet - H7



Ø	d	L	l	lu	Z
10	10	133	19	87	6
11	10	142	19	96	6
12	10	151	19	105	6
13	10	151	19	105	6
14	12.5	160	19	110	6
15	12.5	162	19	112	6
16	12.5	170	22	120	6
17	14	175	22	123	6
18	14	182	22	130	6
19	16	189	22	131	6
20	16	195	22	137	6

Ex. ref. Ø10 = ALB420-010.000



ALB 428

ALESOIRS MACHINE PLAQUETTES CARBURE BRASEES DIN 8051

Taille droite (forme A)
Queue cône morse



Carbide-tipped machine reamers DIN 8051 - Straight flutes - H7 - MT shank



Escariadores de máquina con insertos MD soldados DIN 8051 - Labios rectos - H7 - Mango cónico




Alesatori a macchina con inserti MD brasati DIN 8051 - Taglienti diritti - H7 - Gambo conico



Maschinenreibahlen mit HM-platten DIN 8051 - Geradegenutet - H7 - MK-schaft



Ø	CM	L	I	lu	Z
10	1	168	19	102	6
11	1	175	19	109	6
12	1	182	19	116	6
13	1	182	19	116	6
14	1	189	19	123	6
15	2	204	19	124	6
16	2	210	22	130	6
17	2	214	22	134	6
18	2	219	22	139	6
19	2	223	22	143	6
20	2	228	22	148	6
21	2	232	25	152	6
22	2	237	25	157	6
23	2	241	25	161	6
24	3	268	25	169	8
25	3	268	25	169	8
26	3	273	25	174	8
27	3	277	30	178	8
28	3	277	30	178	8
29	3	281	30	182	8
30	3	281	30	182	8
31	3	285	30	186	8
32	4	317	30	193	8
34	4	321	30	197	8
35	4	321	30	197	8
36	4	325	30	201	8
38	4	329	30	205	8
40	4	329	30	205	8



Ex. ref. Ø10 = ALB428-010.000



PORTE-OUTILS ET PIÈCES DE RECHANGE DIN 217

Porte-outils pour alésoirs creux HSS-E (DIN 219)
et alésoirs creux plaquettes carbure brasées (DIN 8054)



Shell holder for HSS-E shell reamers (DIN 219) or carbide-tipped shell reamers (DIN 8054)



Porta-escariador para escariadores huecos HSSE (DIN 219) o con insertos MD soldados (DIN 8054)



Supporto per alesatori a manicotto HSSE (DIN 219) o con inserti MD brasati (DIN 8054)




Aufsteckhalter für HSS-E Aufsteckreibahlen (DIN 219) oder Aufsteckreibahlen mit HM-platten (DIN 8054)



Ø alésoirs DIN 219	Ø alésoirs DIN 8054	N°	d	L	lu	CM
25 → 30	30 → 35	2	13	250	150	3
31 → 35	36 → 45	3	16	261	160	3
36 → 42	46 → 53	4	19	298	174	4
43 → 50	54 → 63	5	22	312	188	4
51 → 60	64 → 75	6	27	359	203	5
61 → 71		7	32	396	220	5
72 → 85		8	40	396	240	5
86 → 100		9	50	416	260	5

Ex. ref. N°2 = ALH209-2



Pièce C = Clavette-disque (Spring - Resorte - Linguetta - Passfeder)

Ex. ref. N°2 = ALH209-C-2



Pièce E = Erou d'extraction (Forcing nut - Tuerca de extracción - Estrattore - Abdrückmutter)

Ex. ref. N°2 = ALH209-E-2



Pièce B = Bague d'entraînement (Clutch drive ring - Anillo impulsor - Anello di trascinamento - Mitnehmer)

Ex. ref. N°2 = ALH209-B-2



ALESOIRS CREUX PLAQUETTES CARBURE BRASEES DIN 8054

Taille droite (forme A)



Carbide-tipped shell reamers for machines DIN 8054 - Straight flutes - H7



Escariadores de máquina huecos con insertos MD soldados DIN 8054 - Labios rectos - H7




Alesatori a macchina a manicotto con inserti MD brasati DIN 8054 - Taglienti diritti - H7



Aufsteckreibahlen mit HM-platten DIN 8054 - Geradenutet - H7



Ø	d	L	l	Z	N°
30	13	45	30	6	2
31	13	45	30	8	2
32	13	45	30	8	2
33	13	45	30	8	2
34	13	45	30	8	2
35	13	45	30	8	2
36	16	50	30	8	3
37	16	50	30	8	3
38	16	50	30	8	3
39	16	50	30	8	3
40	16	50	30	8	3
41	16	50	30	8	3
42	16	50	30	8	3
43	16	50	30	8	3
44	16	50	30	8	3
45	16	50	30	8	3
46	19	56	30	10	4
47	19	56	30	10	4
48	19	56	30	10	4
49	19	56	30	10	4
50	19	56	30	10	4
52	19	56	30	10	4
54	22	63	30	10	5
55	22	63	30	10	5
58	22	63	30	10	5
60	22	63	30	10	5
62	22	63	30	10	5
65	27	71	30	12	6
68	27	71	30	12	6
70	27	71	30	12	6
72	27	71	30	12	6
75	27	71	30	12	6



N° = numéro du porte-outil
(voir détail page 69).

N° = shell holder number
(detailed table page 69).

Ex. ref. Ø30 = ALB429-030.000