



SPEED TOOLS

**FORETS
ALESEURS
ACIER RAPIDE**

Sélection





FORETS-ALESEURS HSS DIN 344

Hélice à droite
Queue cylindrique



HSS core drills DIN 344 - Right hand helix - Straight shank



Brocas-escariadores HSS DIN 344 - Hélice a derecha - Mango cilíndrico




Allargatori HSS DIN 344 - Taglienti elicoidali destri - Gambo cilindrico



HSS Aufbohrer DIN 344 - Rechtsspiral - Zylinderschaft



d1	d2	d	L	l	Z
2.8	2	3	84	55	3
3	2	3	84	55	3
3.8	2.6	4	96	64	3
4	2.6	4	96	64	3
4.8	3.2	5	108	74	3
5	3.2	5	108	74	3
5.8	3.9	6	116	80	3
6	3.9	6	116	80	3
6.3	3.9	6.5	124	86	3
6.5	3.9	6.5	124	86	3
6.8	4.5	7	133	93	3
7	4.5	7	133	93	3
7.8	5.2	8	142	100	3
8	5.2	8	142	100	3
8.8	5.8	9	151	107	3
9	5.8	9	151	107	3
9.8	6.5	10	162	116	3
10	6.5	10	162	116	3
10.75	7.1	11	173	125	3
11	7.1	11	173	125	3
11.75	7.8	12	184	134	3
12	7.8	12	184	134	3
12.75	8.4	13	184	134	3
13	8.4	13	184	134	3
13.75	9.1	14	194	142	3
14	9.1	14	194	142	3
14.75	9.7	15	202	147	3
15	9.7	15	202	147	3
15.75	10.4	16	211	153	3
16	10.4	16	211	153	3
16.75	11	17	218	159	3
17	11	17	218	159	3
17.75	11.7	18	226	165	3
18	11.7	18	226	165	3
18.7	12.3	19	234	171	3
19	12.3	19	234	171	3
19.7	13	20	242	177	3
20	13	20	242	177	3



Ex. ref. Ø10.75 = ALH544-010.750



FORETS-ALESEURS HSS COURTS DIN 343

Hélice à droite
Queue cône morse



HSS core drills DIN 343 - Right hand helix - MT shank



Brocas-escariadores HSS DIN 343 - Hélice a derecha - Mango cónico




Allargatori HSS DIN 343 - Taglienti elicoidali destri - Gambo conico



HSS Aufbohrer DIN 343 - Rechtsspiral - MK-schaft



d1	d2	CM	L	I	Z
9.8 & 10	6.5	1	168	87	3
10.75 & 11	7.1	1	175	94	3
11.75 & 12	7.8	1	182	101	3
12.75 & 13	8.4	1	182	101	3
13.75 & 14	9.1	1	189	108	3
14.75 & 15	9.7	2	212	114	3
15.75 & 16	10.4	2	218	120	3
16.75 & 17	11	2	223	125	3
17.75 & 18	11.7	2	228	130	3
18.7 & 19	12.3	2	233	135	3
19.7 & 20	13	2	238	140	3
20.7 & 21	13.6	2	243	145	3
21.7 & 22	14.3	2	248	150	3
22.7 & 23	15	2	253	155	3
23.7 & 24	15.6	3	281	160	3
24.7 & 25	16.3	3	281	160	3
25.7 & 26	17	3	286	165	3
26.7 & 27	17.6	3	291	170	3
27.7 & 28	18.3	3	291	170	3
28.7 & 29	19	3	296	175	3
29.7 & 30	19.5	3	296	175	3
30.6 & 31	20	3	301	180	3
31.6 & 32	21	4	334	185	3
32.6 & 33	21.5	4	334	185	3
33.6 & 34	22	4	339	190	3
34.6 & 35	23	4	339	190	3
35.6 & 36	23.5	4	344	195	3
36.6 & 37	24	4	344	195	3
37.6 & 38	24.5	4	349	200	3
38.6 & 39	25	4	349	200	3
39.6 & 40	26	4	349	200	3
40.6 & 41	26.5	4	354	205	3
41.6 & 42	27	4	354	205	3
42.6 & 43	28	4	359	210	3
43.6 & 44	28.5	4	359	210	3
44.6 & 45	29	4	359	210	3
45.6 & 46	30	4	364	215	3
46.6 & 47	30.5	4	364	215	3
47.6 & 48	31	4	369	220	3
48.6 & 49	32	4	369	220	3
49.6 & 50	32.5	4	369	220	3



Ex. ref. Ø10.75 = ALH543-010.750



FORETS-ALESEURS HSS LONGS DIN 1864

Hélice à droite
Queue cône morse



HSS long core drills DIN 1864 - Right hand helix - MT shank



Brocas-escariadores largos HSS DIN 1864 - Hélice a derecha - Mango cónico




Allargatori lunghi HSS DIN 1864 - Taglienti elicoidali destri - Gambo conico



HSS lange Aufbohrer DIN 1864 - Rechtsspiral - MK-schaft



d1	d2	CM	L	I	Z
9.8	6.5	1	197	116	3
10	6.5	1	197	116	3
10.75	7.1	1	206	125	3
11	7.1	1	206	125	3
11.75	7.8	1	215	134	3
12	7.8	1	215	134	3
12.75	8.4	1	215	134	3
13	8.4	1	215	134	3
13.75	9.1	1	223	142	3
14	9.1	1	223	142	3
14.75	9.7	2	245	147	3
15	9.7	2	245	147	3
15.75	10.4	2	251	153	3
16	10.4	2	251	153	3
16.75	11	2	257	159	3
17	11	2	257	159	3
17.75	11.7	2	263	165	3
18	11.7	2	263	165	3
18.7	12.3	2	269	171	3
19	12.3	2	269	171	3
19.7	13	2	275	177	3
20	13	2	275	177	3
20.7	13.6	2	282	184	3
21	13.6	2	282	184	3
21.7	14.3	2	289	191	3
22	14.3	2	289	191	3
22.7	15	2	296	198	3
23	15	2	296	198	3
23.7	15.6	3	327	206	3
24	15.6	3	327	206	3
24.7	16.3	3	327	206	3
25	16.3	3	327	206	3
25.7	17	3	335	214	3
26	17	3	335	214	3
26.7	17.6	3	343	222	3
27	17.6	3	343	222	3
27.7	18.3	3	343	222	3
28	18.3	3	343	222	3



d1	d2	CM	L	I	Z
28.7	19	3	351	230	3
29	19	3	351	230	3
29.7	19.5	3	351	230	3
30	19.5	3	351	230	3
30.6	20	3	360	239	3
31	20	3	360	239	3

Ex. ref. Ø10.75 = ALH545-010.750